

GARDEN SHED COLLECTION







PAGE: 04 - 09

Garden Sheds



PAGE: 10 - 15

Workshops & Garages



PAGE: 16 - 18

Corner Buildings



PAGE: 19 - 22

Summerhouses



PAGE: 23 - 28

Garden Storage



PAGE: 29 - 33

Pressure Treated



PAGE: 34 - 37

Playhouses



BUDGET APEX

AVAILABLE SIZES:

- 5'x4' | 6'x4' | 6'x6'
- 7'x5' | 8'x6' | 10'x5'
- 10'x6' | 10'x7' | 10'x8'
- 12'x6' | 12'x8'

KEY FEATURES:

- Budget Friendly Garden Solution
- 12mm Tongue & Groove Roof & Floor
- Well Braced Single Door
- High Eaves For Ample Head Room
- Windowless Version Available

TECHNICAL SPEC:

- Cladding Thickness: 9mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



BUDGET PENT

AVAILABLE SIZES:

- 6'x4' | 7'x5' | 8'x6'

KEY FEATURES:

- Excellent Value
- 9mm Finish Overlap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- 12mm Tongue & Groove Roof and Floor
- Heavy Duty Mineral Felt
- Windowless Version Available

TECHNICAL SPEC:

- Cladding Thickness: 9mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



SUPER APEX

AVAILABLE SIZES:

- 4'x4' | 5'x4' | 6'x4'
- 6'x5' | 6'x6' | 7'x4'
- 7'x5' | 7'x6' | 8'x5'
- 8'x6' | 8'x8' | 9'x6'
- 10'x5' | 10'x6' | 10'x7'
- 10'x8' | 12'x6' | 12'x8'


KEY FEATURES:

- Classic Apex Design
- 12mm Finish Shiplap Tongue & Groove Cladding
- 12mm Tongue & Groove Roof and Floor
- 28x44mm Finish Rounded Four Corner Framing
- Well Braced Single Door
- Heavy Duty Mineral Felt
- Windowless Version Available

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



SUPER PENT

AVAILABLE SIZES:

- 5'x4' | 6'x4' | 6'x5'
- 6'x6' | 7'x4' | 7'x5'
- 7'x6' | 8'x5' | 8'x6'
- 8'x8' | 9'x6' | 10'x5'
- 10'x6' | 10'x7' | 10'x8'
- 12'x6' | 12'x8'

KEY FEATURES:

- Simple Hardwearing Garden Storage
- 12mm Finish Shiplap Tongue & Groove Cladding
- 12mm Thick Tongue & Groove Roof & Floor
- Well Braced Single Door
- Heavy Duty Mineral Felt
- Windowless Version Available

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



LEAN TO PENT

AVAILABLE SIZES:

- 6'x3' | 6'x4' | 7'x5'
- 8'x6' | 10'x6' | 10'x8'
- 12'x6' | 12'x8'

KEY FEATURES:

- Practical Lean-To Design
- 12mm Finish Shiplap Tongue & Groove Cladding
- Windows On Low Side
- Well Braced Single Door

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



DELUXE PENT

AVAILABLE SIZES:

- 6'x4' | 7'x5' | 8'x6'
- 8'x8' | 9'x6' | 10'x6'
- 10'x8' | 12'x6' | 12'x8'

KEY FEATURES:

- Extra Tall For Maximum Storage
- 12mm Finish Shiplap Tongue & Groove Cladding
- 12mm Thick Tongue & Groove Roof & Floor
- 28x44mm Finish Rounded Four Corner Framing
- Heavy Duty Mineral Felt
- Windowless Version Available

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1870mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



WORKSHOP

AVAILABLE SIZES:

- 7'x5' | 8'x6' | 8'x7'
- 8'x8' | 9'x6' | 10'x6'
- 10'x7' | 10'x8'

KEY FEATURES:

- Large Work & Storage Space
- 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Full Height Double Doors

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1132mm x 1800mm
- Window Size: 457mm x 610mm

Main image shows 10'x8' model



PENT WORKSHOP

AVAILABLE SIZES:

- 12'x6' | 10'x8' | 12'x8'
- 14'x8' | 16'x8' | 10'x10'
- 12'x10' | 14'x10' | 16'x10'
- 18'x10' | 20'x10'

KEY FEATURES:


- 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Full Height Double Doors
- Large Interior Storage Space

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1132mm x 1800mm
- Window Size: 457mm x 610mm



Main image shows 10'x8' model



WORKMAN APEX

AVAILABLE SIZES:

- 10'x10' | 12'x6' | 12'x8'
- 12'x10' | 14'x10' | 16'x8'
- 16'x10' | 18'x10' | 20'x10'

KEY FEATURES:

- Alternative Reverse Apex Design
- Large Full Height Double Doors
- Superior Grade 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Massive Interior Storage Space With Extra Height

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1132mm x 1800mm
- Window Size: 457mm x 610mm

Main image shows 12'x10' model



WORKMAN PENT

AVAILABLE SIZES:

- 10'x8' | 10'x10' | 12'x6'
- 12'x8' | 12'x10' | 14'x8'
- 14'x10' | 16'x8' | 16'x10'
- 18'x10' | 20'x10'

KEY FEATURES:

- 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Full Height Double Doors
- Large Interior Storage Space

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1132mm x 1800mm
- Window Size: 457mm x 610mm

Main image shows 12'x8' model



XL WORKSHOP

AVAILABLE SIZES:

- 10'x10' | 12'x6' | 12'x8'
- 12'x10' | 14'x10' | 16'x8'
- 16'x10' | 18'x10' | 20'x10'

KEY FEATURES:

- The Perfect Workspace
- 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Full Height Double Doors

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1132mm x 1800mm
- Window Size: 457mm x 610mm

Main image shows 20'x10' model



GARAGE

AVAILABLE SIZES:

- 16'x10' | 18'x10' | 20'x10'

KEY FEATURES:

- Practical Parking & Storage
- Full Height Garage Double Doors
- 12mm Finish Shiplap Cladding
- Heavy Duty 58x44mm Finish Rounded Four Corner Framing
- 1x Opening Window
- Side Access Door

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: N/A
- Door Size: 2130mm x 1980mm
- Window Size: 457mm x 610mm



Main image shows 18'x10' model



BARN

AVAILABLE SIZES:

- 6'x8' | 8'x8' | 10'x8'
- 12'x8'

KEY FEATURES:

- Charming Barn Design
- Full Height Double Doors
- Windows Can Be Fitted Either Side
- Extra High Ridge For Maximum Storage

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1132mm x 1800mm
- Window Size: 457mm x 610mm



Main image shows 10'x8' model



FULL PANE BARN ROOF SUMMERHOUSE

AVAILABLE SIZES:

- 12'x8' | 14'x8' | 16'x8'
- 18'x8' | 20'x8'

KEY FEATURES:

- Full Pane Contemporary Double Doors and Windows
- Toughened Glazing as Standard
- Superior Grade 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Stylish Hinges & Door Pull

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1092mm x 1792mm
- Window Size: 457mm x 1605mm



Main image shows 14'x8' model



FULL PANE WORKMAN APEX

AVAILABLE SIZES:

- 12'x6' | 12'x8' | 12'x10'
- 14'x10' | 16'x8' | 16'x10'
- 18'x10' | 20'x10'

KEY FEATURES:

- A Contemporary Garden Escape
- 12mm Finish Shiplap Cladding
- Toughened Full Pane Double Doors & Windows
- Galvanised Hinges & Door Pull

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1092mm x 1792mm
- Window Size: 457mm x 1605mm

Main image shows 14'x10' model



FULL PANE PENT WORKSHOP

AVAILABLE SIZES:

- 12'x6' | 14'x6' | 16'x6'
- 18'x6' | 20'x6' | 12'x8'
- 14'x8' | 16'x8' | 18'x8'
- 20'x8'

KEY FEATURES:

- Full Pane Contemporary Double Doors and Windows
- Toughened Glazing as Standard
- Superior Grade 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Stylish Hinges & Door Pull

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1092mm x 1792mm
- Window Size: 457mm x 1605mm

Main image shows 14'x8' model





JEWEL POTTING SHED

AVAILABLE SIZES:

- 6'x6' | 8'x6' | 8'x8'
- 10'x6' | 10'x8'

KEY FEATURES:

- Perfect For Anybody With Green Fingers
- Work Bench To Help You Tend To Your Plants While Providing Storage
- Extra Large Windows
- Left-Hand Hinged Door

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: 520mm x 1160mm

Main image shows 8'x6' model



CORNER SHED

AVAILABLE SIZES:

- 6'x6' | 7'x7' | 8'x8'

KEY FEATURES:

- Space Saving Corner Shed
- 28x44mm Finish Rounded Four Corner Framing
- Large Full Height Double Doors
- Stylish Black Hinges

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1132mm x 1800mm
- Window Size: 457mm x 610mm



Main image shows 7'x7' model



PENTAGON CORNERHOUSE

AVAILABLE SIZES:

- 6'x6' | 7'x7' | 8'x8'

KEY FEATURES:

- Charming Corner Summerhouse
- Georgian Style Double Doors & Windows
- 28x44mm Finish Rounded Four Corner Framing
- Stylish Black Hinges

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1092mm x 1792mm
- Window Size: 610mm x 914mm



Main image shows 7'x7' model



FULL PANE CORNERHOUSE

AVAILABLE SIZES:

- 6'x6' | 7'x7' | 8'x8'

KEY FEATURES:

- Contemporary & Stylish Corner Summerhouse
- Full Pane Toughened Double Doors & Windows
- Galvanised Hinges & Door Pull
- Stylish Black Hinges

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1092mm x 1792mm
- Window Size: 457mm x 1605mm

Main image shows 8'x8' model



GEORGIAN PYRAMID

AVAILABLE SIZES:

- 8'x8' | 10'x8' | 12'x8'

KEY FEATURES:

- Classic Hip Style Roof With Eye Catching Trim
- 12mm Finish Shiplap Tongue & Groove Cladding
- Large Half Glazed Georgian Double Doors
- Charming Georgian Glazed Windows

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1092mm x 1792mm
- Window Size: 610mm x 914mm

Main image shows 10'x8' model



MULTI STORE

AVAILABLE SIZES:

- 8'x8'

KEY FEATURES:

- Thoughtfully Designed Summerhouse Plus Garden Storage
- Separate 2' Storage Shed
- Half Glazed Georgian Door
- 28x4mm Finish Rounded Four Corner Framing

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 795mm x 1790mm
- Window Size: 457mm x 914mm



Main image shows 8'x8' model



CABIN

AVAILABLE SIZES:

- 6'x6' | 6'x8' | 8'x6'
- 8'x8' | 10'x6' | 10'x8'

KEY FEATURES:

- A Unique Garden Shed
- Generous 360mm Roof Overhang
- Windows On Two Adjacent Sides
- Heavy Duty Mineral Felt

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: 475mm x 610mm



Main image shows 8'x6' model



GLORY BOX

AVAILABLE SIZES:


- 6'x2'3

KEY FEATURES:

- Convenient Storage Space
- 12mm Finish Shiplap Cladding
- 28x44mm Finish Rounded Four Corner Framing
- Lock & Key Supplied As Standard
- Heavy Duty Mineral Felt

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1136mm x 960mm
- Window Size: N/A



Main image shows 6'x2'3 model



PENT COMPACT BIKE SHED

AVAILABLE SIZES:

- 7'x3' | 7'x4' | 7'x5'

KEY FEATURES:

- Perfect Storage For Bikes
- Extra Large Double Doors
- 12mm Finish Shiplap Cladding
- Heavy Duty Mineral Felt
- Three-Quarter Height Of A Standard Pent Shed

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1495mm x 1324mm
- Window Size: N/A

Main image shows 7'x3' model



APEX COMPACT BIKE SHED

AVAILABLE SIZES:

- 3'x7' | 4'x7' | 5'x7'

KEY FEATURES:

- Bike Storage With Extra Room
- Extra Large Double Doors
- Heavy Duty Mineral Felt
- Lock & Key Supplied As Standard
- Three-Quarter Height Of A Standard Apex Shed

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 1495mm x 1324mm
- Window Size: N/A

Main image shows 3'x7' model



TOOL TOWER

AVAILABLE SIZES:

- 2'x3' | 3'x3'

KEY FEATURES:

- Space Saving Garden Storage
- Well Braced Single Access Door
- Lock & Key Supplied As Standard
- Heavy Duty Mineral Felt

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: N/A



Main image shows 2'x3' model



TOOL SHED

AVAILABLE SIZES:

- 5'x3'

KEY FEATURES:

- Classic Pent Storage
- Extra Space Well Braced Single Access Door
- Lock & Key Supplied As Standard
- Heavy Duty Mineral Felt

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 785mm x 1692mm
- Window Size: N/A

Main image shows 5'x3' model



ANIMAL HOUSE

AVAILABLE SIZES:

- 4'x4' | 8'x4' | 10'x4'
- 12'x4'

KEY FEATURES:

- Keep Your Pets Safe And Cosy
- Access Door & Mesh Door To Run
- Generous Run Area For Larger Pets
- Heavy Duty Mineral Felt

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 516mm x 1427mm
- Window Size: N/A



Main image shows 10'x4' model



TANALISED APEX PREMIER

AVAILABLE SIZES:

- 6'x6' | 7'x5' | 8'x6'
- 8'x8' | 9'x6' | 10'x6'
- 10'x8' | 12'x6' | 12'x8'
- 14'x8' | 16'x8'

KEY FEATURES:

- Premium Garden Storage
- Pressure Treated Extra Thick 16mm Finish Shiplap
- Tanalised 58x44mm Heavy Duty Framing
- Well Braced Mortice & Tenoned Heavy Duty Door
- Joiner Made Mortice & Tenoned Windows

TECHNICAL SPEC:

- Cladding Thickness: 16mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 16mm
- Floor Thickness: 16mm
- Door Size: 785mm x 1870mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model





TANALISED DELUXE PENT

AVAILABLE SIZES:

- 6'x4' | 7'x5' | 8'x6'
- 8'x8' | 9'x6' | 10'x6'
- 10'x8' | 12'x6' | 12'x8'

KEY FEATURES:

- Luxury Garden Storage
- Pressure Treated Extra Thick 16mm Finish Shiplap
- Tanalised 58x44mm Heavy Duty Framing
- Well Braced Mortice & Tenoned Heavy Duty Door
- Joiner Made Mortice & Tenoned Windows

TECHNICAL SPEC:

- Cladding Thickness: 16mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 16mm
- Floor Thickness: 16mm
- Door Size: 785mm x 1870mm
- Window Size: 457mm x 610mm

Main image shows 10'x6' model



TANALISED BAR SHED

AVAILABLE SIZES:

- 8'x6' | 10'x6' | 12'x6'
- 8'x8' | 10'x8' | 12'x8'
- 10'x10' | 12'x10' | 14'x10'

KEY FEATURES:

- Pull Down Serving Bar
- 3-Lever Door Lock
- Pressure Treated 16mm Finish Shiplap Cladding
- Tanalised 58x44mm Heavy Duty Framing

TECHNICAL SPEC:

- Cladding Thickness: 16mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 16mm
- Floor Thickness: 16mm
- Door Size: 785mm x 1870mm
- Window Size: N/A

Main image shows 10'x6' model



TANALISED OCTAGONAL SUMMERHOUSE

AVAILABLE SIZES:

- 6'x6' | 8'x6'

KEY FEATURES:

- Charming Summerhouse
- Moulded Fiberglass Roof
- Pressure Treated Extra Thick 16mm Finish Shiplap
- Tanalised 58x44mm Heavy Duty Framework
- Well Braced Mortice & Tenoned Heavy Duty Door
- Joiner Made Georgian Style Windows

TECHNICAL SPEC:

- Cladding Thickness: 16mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 2mm
- Floor Thickness: 16mm
- Door Size: 785mm x 1780mm
- Window Size: 914mm x 457mm

Main image shows 8'x6' model



TANALISED OCTAGONAL FULL PANE SUMMERHOUSE

AVAILABLE SIZES:

- 8'x6'

KEY FEATURES:

- Luxury Garden Storage
- Pressure Treated Extra Thick 16mm Finish Shiplap
- Tanalised 58x44mm Heavy Duty Framing
- Well Braced Mortice & Tenoned Heavy Duty Door
- Moulded Fibreglass Roof
- Full Pane Toughened Windows

TECHNICAL SPEC:

- Cladding Thickness: 16mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 2mm
- Floor Thickness: 16mm
- Door Size: 785mm x 1780mm
- Window Size: 457mm x 1605mm

Main image shows 8'x6' model





TANALISED GARDEN STUDIO

AVAILABLE SIZES:

- 12'x8' | 14'x8' | 16'x8'

KEY FEATURES:

- Charming Summerhouse
- EPDM Rubber Roofing Membrane
- Pressure Treated Extra Thick 16mm Finish Shiplap
- Tanalised 58x44mm Heavy Duty Framework
- Well Braced Mortice & Tenoned Heavy Duty Door
- Front Doors & Windows Can Be Arranged In Any Position

TECHNICAL SPEC:

- Cladding Thickness: 16mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 16mm
- Floor Thickness: 16mm
- Door Size: 1520mm x 1880mm
- Window Size: 645mm x 1880mm



Main image shows 14'x8' model



TANALISED GARDEN STUDIO PLUS

AVAILABLE SIZES:

- 18'x8' | 20'x8'

KEY FEATURES:

- Pressure Treated Extra Thick 16mm Finish Shiplap
- Tanalised 58x44 Heavy Duty Framework
- Full Length, Full Pane Toughened Windows
- Well Braced Mortice & Tenoned Full Pane Double Door
- 5 Lever Lock as Standard
- Front Doors & Windows Can Be Arranged In Any Position
- EPDM Rubber Roofing Membrane

TECHNICAL SPEC:

- Cladding Thickness: 16mm
- Framing Size: 58mm x 44mm
- Roof Thickness: 16mm
- Floor Thickness: 16mm
- Door Size: 1520mm x 1880mm
- Window Size: 645mm x 1880mm

Main image shows 18'x8' model





Not Supplied Painted



LODGE

AVAILABLE SIZES:

- 8'x8'

KEY FEATURES:

- 12mm Finish Shiplap Cladding
- Georgian Style Styrene Windows For Additional Safety
- Safety Hinges With Rubber Door Strips
- Sturdy 28x44mm Rounded Edge Framing
- Door Pull Supplied

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 548mm x 1130mm
- Window Size: 457mm x 610mm

Main image shows 8'x8' model



Not Supplied Painted

CLUBHOUSE

AVAILABLE SIZES:

- 4'x6' | 4'x8' | 6'x6'
- 6'x8' | 8'x6' | 8'x8'

KEY FEATURES:

- 12mm Finish Shiplap Cladding
- Georgian Style Styrene Windows For Additional Safety
- Safety Hinges With Rubber Door Strips
- Sturdy 28x44mm Rounded Edge Framing
- 2ft Veranda Play Area Available As Optional Extra
- Door Pull Supplied

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 548mm x 1130mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



Not Supplied Painted



COUNTRY COTTAGE

AVAILABLE SIZES:

- 8'x6'

KEY FEATURES:

- 12mm Finish Shiplap Cladding
- Georgian Style Styrene Windows For Additional Safety
- Safety Hinges With Rubber Door Strips
- Sturdy 28x44mm Rounded Edge Framing
- Door Pull Supplied

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 548mm x 1130mm
- Window Size: 457mm x 610mm

Main image shows 8'x6' model



Not Supplied Painted

WENDY HOUSE

AVAILABLE SIZES:

- 4'x6' | 6'x6' | 8'x6'

KEY FEATURES:

- 12mm Finish Shiplap Cladding
- Georgian Style Styrene Windows For Additional Safety
- Safety Hinges With Rubber Door Strips
- Sturdy 28x44mm Rounded Edge Framing
- 2ft Veranda Play Area Available As Optional Extra
- Door Pull Supplied

TECHNICAL SPEC:

- Cladding Thickness: 12mm
- Framing Size: 28mm x 44mm
- Roof Thickness: 12mm
- Floor Thickness: 12mm
- Door Size: 548mm x 1130mm
- Window Size: 457mm x 610mm

Main image shows 4'x6' model

SHED OPTIONS

All options are building dependent. Please ask for details.




Double Doors



Extra Wide Door



Stable Door



Left Hand-Hinged



Pent Door Option A



Pent Door Option B



Pent Door Option C




Pent Door Option D

UPGRADES AND ACCESSORIES

Different size options available. Please ask for a full list of available upgrades and accessories.



Opening Window



18" Window Box



Window Glazing Kit
(based on number of windows)



Styrene Instead of Glass



*Wall Mounted Shelving Kit



*2-Tier Staging



Upgrade To Loglap Cladding



Upgrade To Heavy Duty Framing

EXPRESS GARDEN BUILDINGS

Our innovative modular and express delivery garden buildings range is developed for quick delivery with no compromise on quality or choice. In addition, with its innovative modular designs, the Flex collection is able to adapt to your own requirements to offer you the best light, warmth and views for your location. - *(See our Express Garden Buildings brochure for details).*

What makes a Flex so special?

Every garden building in the Flex modular collection is designed to be versatile – so you can position your doors and windows to best suit where it sits on your property, and to best support how you want to use it. For example, you may want the window panels to be at different ends of the building, or need the doors to be in the middle for the best access. Impossible for conventional sheds - Flex makes that easy!

Hand-made without compromise.

Like all of our sheds, each Flex is hand-built in Britain from tough Nordic timber, slow grown and sustainably sourced, with tongue and groove boards throughout for a durable natural finish. All windows are glazed with toughened glass, and pre-fitted for your convenience. The coated ironmongery and protective mineral roofing felt ensure a stylish finish, and every Flex shed is pre-treated with an enhancing preservative.

Quick, pick a day delivery.

All our Express garden buildings can arrive with you in as little as a week after your order is received (mainland UK only). Your order will be wrapped and arrive on a pallet for easy storage until you need it. Thanks to their high-grade timber and other components, their thoughtful design and their careful, hand-built construction here in Britain, these buildings may arrive in days, but they will last for many years to come!

Flex Sheds

Configuration 1



Configuration 2



Configuration 3



Configuration 4



Configuration 5



Flex Cabins

Configuration 1



Configuration 2



Configuration 3



Express Delivery Products

Playdens, Bin Stores, Log Stores, Pet Houses plus many more...



